



JISG4304/4312 SUS304/ SUS304L stainless steel sheet

JISG4304/4312 SUS304/ SUS304L stainless steel sheet has excellent corrosion resistance and heat resistance; after welding or stress relief, but also maintain good corrosion resistance; deep drawing, polishing is excellent. JISG4304/4312 SUS304L stainless steel sheet has widely use in our life. JISG4304/4312 SUS304L stainless steel sheet has widely market in the world. Please contact katalor if you are hesitate to find a good supplier of JISG4304/4312 SUS304L stainless steel sheet.

The application of JISG4304/4312 SUS304/ SUS304L stainless steel sheet :

JISG4304/4312 SUS304/ SUS304L stainless steel sheet Used in chemical, coal, petroleum equipment and equipment with high resistance to intergranular corrosion; open-air decorative materials, heat-resistant parts and heat-treated parts. Frozen Container Frame and exterior materials, automotive exhaust pipe (800 °C below), heat-resistant equipment components.

For more information of JISG4304/4312 SUS304/ SUS304L stainless steel sheet , please check them in following:

JISG4304/4312 SUS304/ SUS304L stainless steel sheet Chemical Composition							
Grade	The Element Max (%)						
	C	Mn	P	S	Si	Cr	Ni
JISG4304/4312 SUS304/SUS304L stainless steel sheet	0.08	2.00	0.045	0.03	1.00	18.0-20.0	8.0-10.5
	Mo	N	Cu				

JISG4304/4312 SUS304/ SUS304L stainless steel sheet Mechanical Property					
Grade	Yield	Tensile	Elongation	Hardness, max	
	Min Mpa	Mpa	Min %	Brinell	Rockwell B
JISG4304/4312 SUS304/SUS304L stainless steel sheet	205	520	40%	187	90

Cold rolled JISG4304/4312 SUS304/ SUS304L stainless steel sheet (Coil) Specification:

Thickness: 0.3~8mm

width: 600 ~2100mm

Length: 2000~12000mm or Coil

Tolerance: according to relevant standard

Surface: 2D, 2B, BA, No3, No4, polish and so on.

Hot rolled JISG4304/4312 SUS304/ SUS304L stainless steel sheet (Coil) Specification:

Thickness: 2.5~25mm

width: 1000 ~2100mm

**Office Address:** Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai



Shanghai Katalor Enterprises  
ONCE BELIEVE, TRUST FOREVER!

Email: info@katalor.com  
Tel: 0086-21-61182423

---

Length: 4000~12000mm or Coil

Tolerance: according to relevant standard

Surface: No.1



Contact us



Shanghai Katalor Enterprises  
ONCE BELIEVE, TRUST FOREVER!

Email: info@katalor.com  
Tel: 0086-21-61182423

---

specialized in manufacturing and exporting steel and casting product. Based on the domestic rich product resources and professional research on international market, Katalor's service has already spread many countries in Europe, America, Southeast Asia, Middle East, South America, Africa, and so on.

### **Contact US:**

**Phone:** 0086-18317160019

**TEL:** 0086-21-61182423

**Fax:** 0086-21-61182425

**E-mail:** info@katalor.com

**Skype:** shanghai.katalor

**Address :** Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai

**Office Address:** Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai